



REV	DATE
002	22.04.2025


Section view A-A  
Scale: 2:1


Auxiliary view C  
Scale: 1:1


Section view D-D  
Scale: 2:1

Notes	
	PCB or heatsink level.
	LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>	
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>	

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
C19492_LIANNA-2R-Z2T25-L4_001_MechanicalModel_001	LENS	1	PMMA	CLEAR


MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 1:2	WEIGHT 160 g	A3 SHEET 1/1






REV	DATE
002	22.04.2025

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
C19493_LIANNA-2R-Z2T25-L6_001_MechanicalModel_001	LENS	1	PMMA	CLEAR

MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 1:1	WEIGHT 247 g	A3 SHEET 1/1


Notes	
●	PCB or heatsink level.
●	LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>	
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>	



REV	DATE
002	22.04.2025

<div><div></div><div></div></div>	<b>Notes</b>
	PCB or heatsink level.
	LED location
	Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>
	For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
LIANNA REFERENCE ALUMINIUM PROFILE				

MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 2:1	WEIGHT	A3 SHEET 1/1