





4



Recommended PAD design




Clip reference distance after soldering



3


C18696_SOLDER-CLIP-2
Bottom of solder clip underneath holder
Opening of solder clip facing holder





LP20187_TINA-SC2-0

COMPONENTS


INDEX	PART	TYPE	COUNT	MATERIAL	COLOR / COATING
1	C11050_TINA2-XP-0	LENS	1	PMMA	CLEAR
2	L20167_TINA-SC2-HLD	HOLDER	1	PC	BLACK

MECHANICAL DRAWING		LEDiL
PRODUCT TINA-SC2-0		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 3:1	WEIGHT -	A3 SHEET 1/1

L20167_TINA-SC2-HLD



Oval beam direction



Notes

PCB or heatsink level.
LED location
Ensure LED fitting from a product specific 3D model available from www.ledil.com
For more details about installation please see LEDiL Installation Guide on www.ledil.com

4

3

2

1