



## Leading the way in ultra-narrow spots

YASMEEN-FR-S

First SPORT optic for 7070 LEDs

SPORT-SQ-SC2

Redefining linear lighting excellence

LIANNA

## Brightness without glare

STRADA-2X2R

Enhancing downlights with soft uplight

ULLA

Tailored for American lighting markets

STRADA-IP-8MXS

Ignite the night with colours

SEE PAGES 10-11

Easy and cost-efficient lens fastening


SOLDER-CLIP-2

# Leading the way in ultra-narrow spots

YASMEEN-FR-S



Read more



Ø 50 & 70


COB 2.8-10 mm

Patent pending


## HEKLA-SOCKET-RZ

Effortless entry to the RGBW world

Compatible with YASMEEN and AMY



Read more



Read more

3030

2835


Ø 70

Enhancing downlights with soft uplight

# ULLA













# AMY



Illuminate with

*elegance*



COB 4-22 mm

Read more








# Redefining linear lighting excellence

## LIANNA

Best efficacy | Best BOM | Best power range | Low UGR | IP65 | Up to 8 ft



3030  
2835  
Patent pending



FWHM angles, efficiencies and cd/lm values contained herein are typical values. Actual measured values depend of the specific LED/optic combination. Go to [www.ledil.com](http://www.ledil.com) for LED specific values and product datasheets.

3030

2835



Read more about DAISY

**DAISY**  
Premium Dark Light  
for unobtrusive, discreet lighting designs

Read more about BRIANNA

**BRIANNA**  
Beautiful Bright Light  
for comfortable lighting from any angle

Low UGR | Human centric lighting | The same platform



The information contained herein is the property of LEDiL Oy, Joensuukatu 7, FI-24100 SALO, Finland, and is subject to change without prior notice. Please visit [www.ledil.com](http://www.ledil.com) for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping.



# Easy and cost-efficient lens fastening SOLDER-CLIP-2



Read more about  
SOLDER-CLIP-2



## No shelf-time limit

Can be stored indefinitely without degradation.

## Simple installation

Just press in place. Chemical-free installations.

## Precision

Ensure precise lens alignment and positioning.

## Automation-ready

Allow usage of pick-and-place machines.

## Cost-effective

Save time and money in production.

## Secure

Tested according to IEC 60598-1:2014  
for rough-service luminaires.

Read more about

SPORT-SQ



Optimised for automated assembly,  
designed for versatility and efficiency

# SPORT-SQ-SC2

First SPORT optic for 7070 LEDs



## SPORT family

Game changing,  
low glare optic for all  
types of sports lighting



SQ-SC2 | 30 x 30 mm  
7070 5050


2X2 | 50 x 50 mm  
3535 5050

IP-24 | 173 x 71.4 mm  
5050

Read more about  
SPORT-2X2



Read more about  
SPORT-IP-24






STRADA

# 2X2R

BRIGHTNESS WITHOUT GLARE

Patent pending




Luminous intensity class  
**G6**  
TI < 2 %

Performance | Safety



See the beauty,  
not the glare.

Comfort | Atmosphere



Visual comfort  
and clarity.

Visibility | Focus




Read more



STRADA-2X2R

Traditional lens



STRADA

# 8MXS






90 x 90 mm

5050

3535

More reach, High LPW –  
Tailored for American lighting markets



STRADA-2X3-5050





Versatile and cost efficient  
lenses for 5050 LEDs



50 x 50 mm

5050

3535






# IGNITE THE NIGHT

# WITH COLOURS




## VERONICA-MAXI

Limitless colours and endless possibilities for robust outdoor lighting



A cluster of up to 7 of any colour LEDs!



Read more

Ø48 mm

7070


3535

cluster max Ø8.2 mm



## DAHLIA

Highly powerful and efficient linear platform



321 x 81 mm


3535

Read more



## CORAL

Extremely precise elliptical beam for wide coverage and reach



321 x 81 mm

single and clustered high-power LEDs

Read more

# LEDiL

perfecting light

Subscribe to LEDiL newsletter to get latest news  
about product launches and reference cases  
[www.ledil.com/subscribe](http://www.ledil.com/subscribe)



[www.ledil.com](http://www.ledil.com)

**Ledil Oy**  
(Headquarters)  
Joensuunkatu 7  
FI-24100 SALO  
Finland

**Ledil Inc.**  
228 West Page  
Street Suite D  
Sycamore IL 60178  
USA

**LEDiL Optics Technology (Shenzhen) Ltd.**  
#405, Block B, ShenZhen Casic Motor Building,  
No.7 LangShan #2 Road, Hi-Tech Ind. Park(N.),  
Nanshan District, Shenzhen, 518057,  
P.R.China

Local sales and technical support: [www.ledil.com/contacts](http://www.ledil.com/contacts)

Distribution Partners: [www.ledil.com/contacts/distributors](http://www.ledil.com/contacts/distributors)

Shipping locations: Salo, Finland and Hong Kong, China